



Hotplate Magnetic Stirrer LHMS-A16

www.labtron.com | info@labtron.com

Overview

Hotplate Magnetic Stirrer LHMS-A16 has a maximum stirring volume of 2000 mL and a stirring speed range of 0 to 1250 rpm. It is equipped with a temperature probe to ensure accurate temperature control. The large LCD display provides real-time monitoring of temperature, timer, and operating status. Additionally, the adjustable stirring time of up to 999 minutes allows for extended operations. Our stirrer is ideal for various laboratory applications requiring precise heating and stirring.

Specifications :

Maximum Volume	0 to 2000 mL
Speed	0 to 1250 rpm
Temperature Range	0°C to 300°C
Timer	0 to 999 minutes
Power Supply	AC 220 V/ 50 Hz
Plate Dimension	135 × 135 mm
Exterior Dimension	230 × 180 × 120 mm
Packing Dimension	310 × 240 × 180 mm
Net Weight	2.2 kg
Gross Weight	3 Kg

Features :

- ✓ Stainless steel top plate
- ✓ 1-point calibration function
- ✓ Push-button speed control
- ✓ Automatic temperature hold
- ✓ Compact and lightweight

Applications :

Hotplate Magnetic Stirrer LHMS-A16 is ideal for laboratories, research institutions, and industrial settings for mixing, heating, and maintaining precise temperatures in chemical, biological, and pharmaceutical experiments.

Standard Accessories :

TP-100P Temperature Probe

Stir bar

Fuse

